


Dimensionals


Standard sizes:

- 1 x 2 (net 0.75" x 1.50")
- 1 x 4 (net 0.75" x 3.50") *shown*
- 1 x 6 (net 0.75" x 5.50") *shown*
- 1 x 8 (net 0.75" x 7.50")
- 5/4 x 4 (net 1.00" x 3.50") *shown*
- 5/4 x 6 (net 1.00" x 5.50") *shown*
- 2 x 2 (net 1.50" x 1.50") *shown*
- 2 x 4 (net 1.50" x 3.50") *shown*
- 2 x 6 (net 1.50" x 5.50") *shown*


Custom sizes and profiles
available upon request.




D-82-000




D-84-000




D-86-000



D-44-000



D-46-000




D-54-000



D-56-000

Variations:



D-XX-001

Available in:
All sizes



D-4X-002

Available in:
1" sizes only



D-4X-003

Available in:
1" sizes only

NOTES: UNLESS OTHERWISE SPECIFIED

- 1) MATERIAL: THERMALLY MODIFIED HARDWOOD
- 2) FINISHED LENGTHS: 6' TO 12' LONG IN WHOLE FOOT INCREMENTS, PERMITTING MAX 5% 3'/4'/5' LONG NESTED
- 3) SOUND KNOTS MAX 0.50" DIAMETER PERMITTED; NO OPEN KNOTS ON THE SOUND FACE

Dimensional (D)		
Code	Description	
D-XX-000	Eased 4 Edge 0.125" radius	
D-XX-001	Square 4 Edge 90 degree	
D-XX-002	Eased 4 Edge 0.0625" radius	
D-XX-003	Beveled 4 Edge 0.0625"	


AMERICANA™ THERMALLY MODIFIED HARDWOOD		TITLE D-XX-00X			
DRAWN: LMP	07/21/2026				
TOLERANCE:		SIZE	DWG NO		REV
X.XXX (+/- 0.03125")		ANG (+/- 1DEG)			
X.XX (+/- 0.0625")		FRAC (+/- 1/32")			
ALL DIMENSIONS IN INCHES				SHEET 1 OF 1	

Decking

DeckWise® ThermoClip™ compatible

Standard sizes:


1 x 6 (net 0.75" x 5.50") *shown*



K-46-001



K-46-002




K-46-003



K-46-004



K-46-005



Structural End Match (optional)



NOTES: UNLESS OTHERWISE SPECIFIED

- 1) MATERIAL: THERMALLY MODIFIED HARDWOOD
- 2) FINISHED LENGTHS: 6' TO 12' LONG IN WHOLE FOOT INCREMENTS, PERMITTING MAX 5% 3'/4'/5' LONG NESTED
- 3) SOUND KNOTS MAX 0.50" DIAMETER PERMITTED; NO OPEN KNOTS ON THE SOUND FACE
- 4) GROOVES ARE COMPATIBLE WITH DECKWISE THERMOCLIP SYSTEM

Decking (k)		
Code	Description	
K-46-001	ThermoClip Groove one edge	
K-46-002	ThermoClip Groove & Groove	
K-46-003	No Grooves, Combed	
K-46-004	ThermoClip Groove one edge, Combed	
K-46-005	ThermoClip Groove & Groove, Combed	

AMERICANA TM THERMALLY MODIFIED HARDWOOD		TITLE K-4X-00X		
DRAWN: LMP	07/21/2026			
TOLERANCE:		SIZE	DWG NO	REV 9
X.XXX (+/- 0.03125")				
X.XX (+/- 0.0625")				
ALL DIMENSIONS IN INCHES				SHEET 1 OF 1

Decking




DeckWise® ThermoClip™ compatible

Standard sizes:

5/4 x 4 (net 1.00" x 3.50")


5/4 x 6 (net 1.00" x 5.50") *shown*



K-56-001



K-56-002




K-56-003



K-56-004



K-56-005



Structural End Match (optional)



NOTES: UNLESS OTHERWISE SPECIFIED

- 1) MATERIAL: THERMALLY MODIFIED HARDWOOD
- 2) FINISHED LENGTHS: 6' TO 12' LONG IN WHOLE FOOT INCREMENTS, PERMITTING MAX 5% 3'/4'/5' LONG NESTED
- 3) SOUND KNOTS MAX 0.50" DIAMETER PERMITTED; NO OPEN KNOTS ON THE SOUND FACE
- 4) GROOVES ARE COMPATIBLE WITH DECKWISE THERMOCLIP SYSTEM

Decking (K)		
Code	Description	
K-56-001	ThermoClip Groove one edge	
K-56-002	ThermoClip Groove & Groove	
K-56-003	No Grooves, Combed	
K-56-004	ThermoClip Groove one edge, Combed	
K-56-005	ThermoClip Groove & Groove, Combed	

DRAWN: LMP		07/21/2026		TITLE	
TOLERANCE:		X.XXX (+/- 0.03125")		ANG (+/- 1DEG)	
X.XX (+/- 0.0625")		FRAC (+/- 1/32")		SIZE	
ALL DIMENSIONS IN INCHES				DWG NO	
				REV	
				9	
				SHEET 1 OF 1	

Porch Flooring


Standard sizes:

1 x 3 (net 0.75" x 2.25" face)



1 x 4 (net 0.75" x 3.25" face) *shown*

5/4 x 3 (net 1.00" x 2.25" face)

5/4 x 4 (net 1.00" x 3.25" face) *shown*



P-44-001



P-54-001

NOTES: UNLESS OTHERWISE SPECIFIED

- 1) MATERIAL: THERMALLY MODIFIED HARDWOOD
- 2) FINISHED LENGTHS: 6' TO 12' LONG IN WHOLE FOOT INCREMENTS, PERMITTING MAX 5% 3'/4'/5' LONG NESTED
- 3) SOUND KNOTS MAX 0.50" DIAMETER PERMITTED; NO OPEN KNOTS ON THE SOUND FACE

Porch Flooring (P)		
Code	Description	
P-XX-001	Tongue & Groove Microbevel	


DRAWN: LMP07/21/2026		TITLE		
		P-XX-001		
TOLERANCE:		SIZE	DWG NO	REV
X.XXX (+/- 0.03125")		ANG (+/- 1DEG)		9
X.XX (+/- 0.0625")		FRAC (+/- 1/32")		
ALL DIMENSIONS IN INCHES				SHEET 1 OF 1

Rainscreen / Siding


Standard sizes:

- 1 x 4 (net 0.75" x 3.50")
- 1 x 6 (net 0.75" x 5.50") *shown*
- 1 x 8 (net 0.75" x 7.50")




Special Order sizes and profiles
available upon request.




R-46-000



S-46-016



Installed 0.1875" gap



Acclimated 0.125" gap

NOTES: UNLESS OTHERWISE SPECIFIED

- 1) MATERIAL: THERMALLY MODIFIED HARDWOOD
- 2) FINISHED LENGTHS: 6' TO 12' LONG IN WHOLE FOOT INCREMENTS, PERMITTING MAX 5% 3'/4'/5' LONG NESTED
- 3) SOUND KNOTS MAX 0.50" DIAMETER PERMITTED; NO OPEN KNOTS ON THE SOUND FACE

Siding (R, S, J)		
Code	Description	Reveal
R-4X-000	ExoClad	Nominal minus 1.000"
S-4X-016	TexFit Nickel Gap	Nominal minus 1.000"


DRAWN: LMP		07/21/2026		TITLE		R/S-4X-0XX	
TOLERANCE:		SIZE		DWG NO		REV	
X.XXX (+/- 0.03125")		ANG (+/- 1DEG)				9	
X.XX (+/- 0.0625")		FRAC (+/- 1/32')					
ALL DIMENSIONS IN INCHES						SHEET 1 OF 1	

Rainscreen / Siding / Open Joint


Standard sizes:

- 1 x 4 (net 0.75" x 3.50")
- 1 x 6 (net 0.75" x 5.50") *shown*
- 1 x 8 (net 0.75" x 7.50")


Special Order sizes and profiles available upon request.




S-46-007




S-44-008






S-46-009



S-46-014



J-46-000








NOTES: UNLESS OTHERWISE SPECIFIED

- 1) MATERIAL: THERMALLY MODIFIED HARDWOOD
- 2) FINISHED LENGTHS: 6' TO 12' LONG IN WHOLE FOOT INCREMENTS, PERMITTING MAX 5% 3'/4'/5' LONG NESTED
- 3) SOUND KNOTS MAX 0.50" DIAMETER PERMITTED; NO OPEN KNOTS ON THE SOUND FACE

Siding (R, S, J)		
Code	Description	Reveal
S-46-007	Tex Bevel	Nominal minus 1.000"
S-44-008	Dutch	Nominal minus 1.500"
S-46-009	Double Dutch	Nominal minus 1.000"
S-46-014	German Lap	Nominal minus 0.875"
S-46-015	Tex Half Gap	Nominal minus 1.000"
J-46-000	Open Joint	Nominal minus 0.500"

AMERICANATM THERMALLY MODIFIED HARDWOOD		TITLE S/J-4X-0XX			
DRAWN: LMP	07/21/2026				
TOLERANCE:		SIZE	DWG NO		REV
X.XXX (+/- 0.03125")	ANG (+/- 1DEG)				9
X.XX (+/- 0.0625")	FRAC (+/- 1/32')				
ALL DIMENSIONS IN INCHES				SHEET 1 OF 1	

Architectural Walls, Ceilings and Soffits



NOTES: UNLESS OTHERWISE SPECIFIED

- 1) MATERIAL: THERMALLY MODIFIED HARDWOOD
- 2) FINISHED LENGTHS: 6' TO 12' LONG IN WHOLE FOOT INCREMENTS, PERMITTING MAX 5% 3'/4'/5' LONG NESTED
- 3) SOUND KNOTS MAX 0.50" DIAMETER PERMITTED; NO OPEN KNOTS ON THE SOUND FACE

Architectural Walls / Ceilings / Soffits (S,C,P)		
Code	Description	Reveal
S-46-010	WP4	Nominal minus 0.850"
S-84-011	Deep Shadow	Nominal minus 1.250"
S-86-012	Triple Shadow	Nominal minus 0.875"
C-44-001	Beadboard Classic	Nominal minus 0.875"
C-46-002	Beadboard Plank	Nominal minus 0.875"
P-44-002	Tongue & Groove	Nominal minus 0.750"
P-54-002	Tongue & Groove	Nominal minus 0.750"

AMERICANA™ THERMALLY MODIFIED HARDWOOD		TITLE s/c/p-xx-0xx		
		SIZE	DWG NO	REV 9
DRAWN: LMP 07/21/2026				
TOLERANCE: X.XXX (+/- 0.03125") ANG (+/- 1 DEG) X.XX (+/- 0.0625") FRAC (+/- 1/32")				
ALL DIMENSIONS IN INCHES		SHEET 1 OF 1		